

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	190	455/435.2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 09:15
L2	126154	((identify\$3 determin\$3 detect\$3 locating locate) near6 (location position place site locality) near6 (user device mobile adj (station telephone phone terminal device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:13
L3	176	L2 same ((available accessible detect\$2 potential offer close) near6 (service adj provider communication adj network WLAN WAN PBx POTS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:32
L4	2	L3 and L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 09:17
L5	2390	455/417,455,456.1,456.3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 09:17
L6	26	3 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 09:17
L9	66	3 and ((choos\$4 elect\$3 select\$3) near6 ((service network) adj provider (communication adj network) WLAN WAN PBx POTS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:09
L10	45	9 and (cost adj rates cost adj effective cost)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:04

L11	15	10 and ((forward\$3 rout\$3) adj call)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:04
L12	14	3 and (((rout\$3 swith\$3 forward\$3) adj call) near6 (service adj provider network communication adj network WLAN WAN PB POSTN))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:27
L13	9	"smart telephone".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:27
L14	7	L2 same ((select\$3 choos\$4 elect\$3) near6 (available accessible detect\$2 potential offer close) near6 (service adj provider communication adj network WLAN WAN PBx POTS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:35
L15	2697	L2 same ((select\$3 choos\$4 elect\$3) near6 (available accessible detect\$2 potential offer close))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:35
L16	299	L2 same ((select\$3 choos\$4 elect\$3) near6 (network adj provider network communication adj network))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:36
L17	3	16 same ((swith\$3 rout\$3 forwad\$3)adj (call))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:39
L18	32	16 and ((swith\$3 rout\$3 forwad\$3)adj (call))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:47

L19	32	16 and ((rout\$3 forwad\$3) adj (call))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:47
L20	2806	455/456.1,414.1,402.2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:48
L21	7	19 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:48
L22	1687	L2 and ((available availability accessible detect\$2 potential close) near6 (service adj provider communication adj network WLAN WAN PBx POTS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:51
L23	93	L2 with ((available availability accessible detect\$2 potential close) near6 (service adj provider communication adj network WLAN WAN PBx POTS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:50
L24	51	L2 near ((available availability accessible detect\$2 potential close) near6 (service adj provider communication adj network WLAN WAN PBx POTS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 10:50
L25	700	22 and ((select\$3 choos\$4 elect\$3) near6 (provider network communications adj network))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:04
L26	11	25 and (forward adj call near6 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:04

L27	63	25 and (((forward rout\$3) adj call) near6 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:16
L29	98827	"455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:14
L30	21	27 and 29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:14
L31	42	27 not 30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:16
L32	298	2 same ((select\$3 elect\$3 choos\$3) near6 network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:20
L33	35	2 same ((select\$3 elect\$3 choos\$3) adj (provider network))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:20
L34	27	2 same (available adj network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:26
L35	857	L2 same ((available accessible detect\$2 potential offer close) near6 (service adj provider communication adj network network WLAN WAN PBx POTS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:28

L36	890	L2 same ((available accessible detect\$2 potential offer close) near6 (provider communication adj network network WLAN WAN PBx POTS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:28
L37	811	L2 same ((available accessible detect\$2 potential offer close) near6 (network adj provider communication adj network network WLAN WAN PBx POTS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:28
L38	811	L2 same ((available accessible detect\$2 potential offer close) near6 (network adj provider communication adj network network WLAN WAN PBx POTS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:29
L39	811	L2 same ((available accessible detect\$2 potential offer close) near6 (network adj provider communication adj network network communications adj provider WLAN WAN PBx POTS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:29
L40	97	39 and (call near (rout\$3 forward\$3 switch\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:29
L41	8	("4658416" "5235633" "5243645" "5375161" "5440614" "5446553" "5506888" "5548636").PN. OR ("6603973").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/25 11:47
L42	5046	((routing or forwarding) calls adj for wireless adj communication adj devices).ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/25 11:48
L43	5082	((routing or forwarding) calls adj for wireless adj communication adj devices).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/25 11:48
L44	59	20 and 43	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/25 13:23
L46	131466	((identif\$5 determin\$3 detect\$3 locating locate) near6 (location position place site locality) near6 (user device mobile adj (station telephone phone terminal device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:58

L47	811	L2 same ((available accessible detect\$2 potential offer close) near6 (network adj provider communication adj network network WLAN WAN PBx POTS voIP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:56
L48	42	47 and (((forward\$3 rout\$3 switch\$3) adj calls) near6 (communication adj network network adj provider network WAN WLAN pbx voip))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:06
L49	4	48 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:58
L52	128715	((identif\$3 determin\$3 detect\$3 locating locate) near6 (location position place site locality) near6 (user device mobile adj (station telephone phone terminal device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:14
L53	46	52 and ((identif\$3 determin\$3 detect\$3 locating locate) near (available accessible potential nearby close proximate "near") near (network (communications adj network) telecommunications))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:27
L54	6	53 and ((forward\$3 rout\$3 switch\$3) adj call)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:24
L55	2005	52 and ((available accessible potential nearby close proximate "near") near (network (communications adj network) telecommunications))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:27
L56	242	55 and ((rout\$3 switch\$3 forward\$3) adj call)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:27

L57	15	56 and ((voIP or ip) and (wireless adj area adj network or WAN) and (POTS or PTSN))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:30
L58	175	52 same ((available accessible detect\$2 potential offer close) near6 (service adj provider communication adj network WLAN WAN PBx POTS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:34
L59	21	58 and ((forward\$3 rout\$3 swich\$3) adj call)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:37
L60	164	(rout\$3 forward\$3 switch\$3) adj call near (voip or ip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:51
L61	589	available adj network with (select\$3 elect\$3 choos\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:52
L62	479	61 and (forward\$3 rout\$3 switch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:54